



## DAYTONA

Stable, reliable POS terminal that's made to last

**Great reliability** and an industrial project: **DAYTONA** is ideal for point-of-sale applications that require larger workload in multiple environments. The terminal is developed to support **any kind of software application** thanks to different CPU performance levels. DAYTONA establishes a new standard for touchscreen terminals, with **top-notch RAM and SSD**. Thanks to the easy-access SSD with **detached slot**, it won't be hard to open the device in case of assistance. This terminal is developed to be flexible, and can easily updated to become your company's most loyal helper.



## CHARACTERISTICS

### 1. Field upgradeable

Quickly upgradeable RAM and SSD to increase system specifications

### 2. Optional Wi-Fi® antenna

No need for cabling - easily upgrade to high speed wireless access

### 3. USB-C on all 4 sides of the terminal for proprietary peripherals

Consolidate peripheral integrations for attended and unattended applications

### 4. Multiple CPU options

Celeron® and i3 configurations: keep consistent look and feel across your business environment

### 5. Multiple operating systems

Compatible in both Windows 10 IoT, Windows 11 (only i3 model), and Linux

### 6. Cable management

Easily hide cables in the base for a clean installation

## MARKETS

- Retail
- Hospitality
- Entertainment
- Gaming, Lottery and Betting

## MODELS

- Windows® - J3455 8GB/128GB SSD - 4:3 (15")
  - Windows® - i3 8145UE 8GB/128GB SSD - 4:3 (15")
- 

## ACCESSORIES

- Second display 10.1"
  - Customer display LCM 2x20
  - MSR
-

## TECHNICAL SHEET

	WINDOWS® - J3455	WINDOWS® - i3 8145UE
<b>Processor</b>	Celeron® J3455, 2M Cache, up to 2.3GHz	Intel®, Core i3 8145UE, 4M Cache, up to 3,90GHz, TPM 2.0
<b>Memory</b>	1 x SO-DIMM, DDR3L, 8GB	2 x SO-DIMM, DDR4 8GB Up to 32GB
<b>Storage</b>	2.5" SATA SSD, 128GB	
<b>I/O</b>	USB: 3.0 x 4, 2.0 x 2, TypeC x 1 (TYPE C USB 2.0 HS only 5V/2A) Serial ports: RJ50 x 2 Display: HDMI x 1 up to 1920x1080 LAN: RJ45 x 1 Cash Drawer: RJ11 x 1	USB: 3.0 x 4, 2.0 x 2, TypeC x 1 (TYPE C USB 2.0 HS only 5V/2A) Serial ports: RJ50 x 1 Display: HDMI x 1 up to 1920x1080 LAN: RJ45 x 2 Cash Drawer: RJ11 x 1
<b>LCD</b>	15" TFT	
<b>Brightness</b>	350 NITS	
<b>Resolution</b>	1024x768	
<b>Touch screen</b>	PCAP True Flat	
<b>Speaker</b>	1 x 3W	
<b>Expansion</b>	M 2 E Key for Wi-Fi®/Bluetooth® (Module optional) MiniPCle	
<b>OS</b>	Windows® 10 IOT	Windows® 10 IOT / Windows® 11
<b>Electrical specifications</b>	Device: 60 W/12 V DC Jack Adapter Power supply: from 100 Vac to 240 Vac	
<b>Dimensions</b>	362 mm (L) x 210 mm (W) x 330 mm (H)	
<b>Weight</b>	4.9 Kg	

## MODELS



### 934MS011500L33

PCPOS DAYTONA 15" J3455 NO  
OS 8GB RAM 128GB SSD



### 934MS011700L33

PCPOS DAYTONA 15" i3-8145UE  
NO OS 8GB RAM 128GB SSD

Via I. Newton, 4 - 43010 Fontevivo PR - VAT: IT02498250345 - TEL: +39 0521 680111 - FAX: - UNIQUE CODE: 8RQN7AZ

The technical data on this website are not binding and may be changed without advanced notice.

Last update: 31 March 2026