



KM216HIII

Wide Format Boarding Pass GPP Printer

KM216HIII is a cutting-edge A4 format printer. An advanced device, part of Custom's offering for the Aviation sector, capable of printing both boarding passes and travel information documents thanks to its high print quality and large format. Its simple and robust motorized ejector, long-lasting print head, and autocutter make it reliable and the ideal choice for the Aviation market.



CARACTERÍSTICAS

- Adjustable paper-infeed
- Simple and robust motorized ejector
- Dot-saving function
- Highly reliable cutter
- Full remote management via internal web server
- Automatic e-mail sending for service purposes
- Logo and font remote update
- Drivers available in the printer flash disk

AVAILABLE MODELS

- Base model

ACCESORIOS

- Power supply
- Data cable
- Power cord
- Near paper end sensor

FICHA TÉCNICA

| | |
|---------------------------------|---|
| Printing Method | Thermal with fixed head |
| Number of dots | 8 dots/mm |
| Resolution | 203 DPI |
| Printing speed | 125 mm/sec (according to the power supply used) |
| Paper width | 210 mm / 216 mm (A4" - US Letter) |
| Paper thickness | from 63 μ m to 85 μ m |
| Paper roll diameter | Max. 180 mm |
| 1D and 2D IATA barcode printing | UPC-A, UPC-E, EAN13, EAN8, Code39, ITF, Codabar, Code93, Code128, Code32, PDF417, Data Matrix, Aztec, QRCode |
| Interfaces | USB RS232 Ethernet |
| Sensors | Paper presence, printhead temperature, paper presence on output, black mark, cover open, optional low paper, autocutter error |
| Drivers | Windows® (32/64 bit); CUPS Linux (32/64 bit); Virtual COM (32/64 bit) with or without silent installation; Android™ |
| Power supply | Device: 24 Vdc \pm 10% Optional external power supply: from 90 Vac to 264 Vac |
| Printhead Life | 100Km / 100M pulses |
| Autocutter | over 300,000 cuts |
| Software tools | PrinterSet, CustomPowerTool, Status Monitor, Custom Windows API |
| Dimensions | 270 mm (L) x 180 mm (W) x 90 mm (H) |
| Weight | 4.8 Kg |

MODELOS



915AS060100700

PRINTER KM216HIII ETH USB
RS232 EJECTOR

Vía I. Newton, 4 - 43010 Fontevivo PR - N° IVA: IT02498250345 - TEL.: +39 0521 680111 - FAX: - CÓDIGO ÚNICO: 8RQN7AZ

Los datos técnicos de este sitio no son vinculantes y pueden modificarse sin aviso previo.

Última actualización: 17 abril 2026