



QD2

Versatile customer display for POS applications

QD2 is the latest evolution in Custom's customer displays. Featuring two different interfaces, USB 2.0 and Serial (serial available for fiscal printers only), it can be connected to any POS PC. The liquid crystal backlit technology enhance the quality of displayed contents and the 40 characters available (20 x 2 lines) allows to create personalized messages and drawings. Upgradeable and configurable through PrinterSet software. QD2 height can be adjusted, with the included pole extension, to fit different desk configurations.



CARACTERÍSTICAS

TOP 5

- USB powered: a single interface to reduce clutter and cabling needs
- PrinterSet configuration, a software tool to quickly configure and upgrade the product
- Different possibilities to create customized messages thanks to the 40 character display
- Extension pole included: possibility to modify height requirements with one device
- Integration into global POS software applications thanks to the 142 code pages and fonts

MARKETS

- Retail
- Hospitality

FICHA TÉCNICA

Available interfaces	USB 2.0 Full speed / RS232 (fiscal printers only) (9600 bps to 115200 bps)
Emulations	ESC/POS, LOGIC CONTROL, UTC STANDARD, UTC ENHANCE, EMAX, AEDEX, CD5220, LD220,ADM788, DSP800
Panel size	132 x 29 dots
Display method	Backlit liquid crystal display
Number of characters	40 (20 x 2 lines)
Background color	White
Inclination angle	From 5° to 55°
Longitudinal rotation	-64°, +64° (2 directions)
Character set	up to 3
Character size	5 x 9 dot matrix
Power supply	USB port: 5 V Serial port: from 12 to 24 Vdc ±10%
Operating temperature	From -0°C to +50°C
Dimensions	150 mm (W) x 84 mm (D) x 80 mm (H) Tall version: 150 mm (W) x 84 mm (D) x 183 mm (H)
Weight	190 g Tall version: 222 g

MODELOS



932GA030100J33

CUSTOMER DISPLAY QD2 SINGLE
BLACK

Via Berettine, 2 - 43010 Fontevivo PR - P. IVA: IT02498250345 - TEL: +39 0521 680111 - FAX: +39 0521 610701 - CÓDIGO UNÍVOCO: 8RQN7AZ

As informações técnicas neste site não são vinculadas e podem ser alteradas sem aviso prévio.

Última atualização: 30 abril 2025