



K3 F

The third generation of Custom's fiscal products


K3F starts the third generation of Custom's fiscal products. With an ever more advanced and specialized technology, K3F not only improves speed and reliability performances, but also opens the doors to mobile communication with its Ethernet interface (standard equipment) and Wi-Fi connectivity (optional). These features have been conceived to use the product with applications designed for mobile and cloud-oriented sales. K3F has no technological limits: it can be managed via LAN or via a geographic network and it can be easily reached by any device, like tablets or smartphones with network access.



CARATTERISTICI

- Wi-Fi fiscal printer
- Powerful 400MHz processor
- RS232+USB+ETHERNET
- Automatic cover opening
- Fast and powerful: 280mm/sec
- Prints high quality logos and coupon graphics
- Paper width: 80mm, 60mm, adjustable (1 movable side)
- Paper thickness: from 55g to 90g
- External paper roll diameter: 100 mm max
- Auto-cutter: 1.000.000 cuts
- Printing head MTBF: 200Km
- Vertical mounting
- Drawer connector
- Electronic journal on MMC / SD
- 1D and 2D (QRCODE) barcode printing
- Storage memory for logos and configuration files
- Custom protocols, XON-XOFF, UAP
- Fiscal, financial, statistical and historical reports
- Customizable receipt's graphic and promotional coupons printing
- Gift/Warranty receipt management
- Windows, OPOS, JavaPOS and POS.net drivers
- Approved for invoice printing on receipt
- Approved for negative receipts (returns)

FOCUS ON



- Automatic cover opening on reaching the roll end
- Fan-fold paper management
- Easy access to parts subject to ordinary maintenance
- Cable holder system
- Feed and cover opening touch keys; ON/OFF button
- LED indicator to notify that servicing is required
- Tray connector
- Buzzer
- Vertical mounting

ACCESORII



- Embedded WI-FI or Bluetooth module
 - Version with embedded customer display
 - KB30 keyboard: positioned in the tray underneath the printer and connected via extensible USB cable
-

FI?? TEHNIC?

Processor	100 Mhz
Electronic Journal	SD Card SLC Industrial "long life", up to 3,000,000 lines (about 600 rolls)
Mass Storage	DGFE on SD CARD
Keyboard	External alphanumeric keyboard K35-USB
Display	The whole family XD and QD; version with built-in LCD backlit display, 2x20 characters, blue background, white LEDs
Paper width	80mm adjustable
Printing speed	280mm/sec
Interfaces	RS232, USB, ETHERNET
Tax deductible receipt	yes
PLUs	30 programmable PLU PLU groups for aggregate statistics
Payment types	30 customizable types of payment
Price Modifiers	8 price modifiers (discounts and surcharges)
VAT rates	10
Reports	Fiscal and financial
Graphics	Prints high quality logos and coupon graphics; 1D and 2D barcode printing (QRCODE)
Protocols	CUSTOM, XON/XOFF, UAP
Drivers	Windows® (32/64 bit) – only on request WHQL and silent installation; Virtual COM (Windows 32/64 bit); OPOS; JavaPOS; POS.net; Android™
Dimensions	206mm (L)x148mm (D)x140mm (H)
Resolution	203dpi (8 dots/mm)
Paper roll dimension	max Ø 100 mm
Medium consumption	2.2 A (12.5% printing rate)
Power supply	24 Vdc ± 10% (external power supply)
Weight	1.9 Kg

Via I. Newton, 4 - 43010 Fontevivo PR - TVA: IT02498250345 - TEL: +39 0521 680111 - FAX: - COD UNIC: 8RQN7AZ

Datele tehnice de pe acest site nu sunt obligatorii și pot fi modificate fără a văreo notificare.

Ultima actualizare: 01 aprilie 2026