



## P-SCANRANGER

### 1D/2D Presentation Scanner

P-SCANRANGER is an omnidirectional barcode scanner for 1D and 2D codes, even from smartphones. It's an extremely versatile device thanks to its compactness which, however, doesn't limit his reading performance at all. P SCANRANGER has a particularly wide reading range, up to 46 ° horizontally and up to 30 ° vertically. His appealing design makes it an ideal solution for retail applications.



#### ACCESSORII

##### What is in the box:

- Device, USB-RJ45 cable, user manual, warranty card

## FI?? TEHNIC?

### Interface

HID USB / USB COM / RS232

### Barcodes supported (1D)

UPC/EAN/ (UPCA/UPCE/UPCE 1 /EAN-8/EAN-I 3/ JAN-8/ JAN- I 3 plus supplemental, ISBN, ISSN, Coupon Code), Code 39, Code 39 Full ASCII, Trioptic, Code 32 (Italian Pharmacode), Code 128 (Standard, Full ASCII, UCC/EAN-128, ISBT-128 Concatenated), Code 93, Codebar/NW7, Interleaved 2 of 5, Discrete 2 of 5, IATA, Chinese 2 of 5, Matrix 2 of 5, Code 11), MSI Plessey, GSI DataBar, (Omnidirectional, Truncated, Stacked, Stacked Ominidirectional, Limited, Expanded, Expanded Stacked)

### Barcodes supported (2D)

PDF417 (Variant, Standard, Macro), MicroPDF417 (Standard, Macro), Composite Codes (CC-A, CC-B, CC-C), MaxiCode, Data Matrix, Data Matrix Inverse, QR Code, QR Inverse, Micro QR Code, Aztec Code, Aztec Inverse, U.S. Posnet and Planet, U.K. Post, Japan Post, Australian Post, Netherlands KIX Code, Royal Mail 4 State Customer, UPU FICS 4 State Postal, USPS 4CB

## OPTICAL

### Optical system

752 (H) × 480 (V) pixels (Wide VGA)

### Light source

Aiming pattern: single dot, 625 nm LED

### Resolution

4 mil (CODE 39), 7.5 mil (Data Matrix), 5 mil (PDF417)

### Field of view

Horizontal: 46.1°, Vertical 30.4°

### Indicator

Beeper and LED

### Reading distance

Up to 267 mm

## ELECTRICAL

### Voltage

DC 5V

## ENVIRONMENT

### Operating temperature

0 °C to 40 °C

### Drop

1.5 m drops

## PHYSICAL

### Weight

300 g w/cable

### Dimensions

73 mm (W) x 140 mm (H) x 70 mm (D)

Via I. Newton, 4 - 43010 Fontevivo PR - TVA: IT02498250345 - TEL: +39 0521 680111 - FAX: - COD UNIC: 8RQN7AZ

Datele tehnice de pe acest site nu sunt obligatorii și pot fi modificate fără nicio notificare.

Ultima actualizare: 01 aprilie 2026