B202HIII

▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒ ▒ ▒▒▒▒▒▒▒▒▒▒

B202HIII - ▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒ ▒ ▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒, ▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒, ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒, ▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒, ▒▒▒▒▒▒▒

??????????????

- ▒▒▒▒▒▒▒▒▒▒▒266 MHz
- ▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒ ▒▒▒20 ▒▒▒54 ▒▒▒
- ▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒: ▒▒▒80 ▒▒▒180 ▒/▒²
- ▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒ ▒▒▒170 ▒▒▒/ ▒
- ▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒ ▒▒▒▒▒▒▒
- ▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒ ▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒

??????????????????

- ▒▒▒▒▒▒▒▒▒▒▒RS232 ▒USB (▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒COM)
- ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒: ▒▒▒▒▒▒▒1 000 000 ▒▒▒▒▒▒▒▒▒
- ▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒-▒▒▒▒▒▒▒1D ▒2D : UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRI QRCODE
- ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒True Font; ▒▒▒▒▒▒▒: ▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒
- ▒▒▒▒▒▒▒▒▒: ▒▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒, ▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒, ▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒ ▒3-▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒▒, ▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒▒ ▒▒▒▒▒▒▒/▒▒▒▒▒▒▒

CUSTOM

??????????

??? ? ???????:

- [illegible], [illegible] [illegible] [illegible], [illegible] [illegible], [illegible] [illegible] [illegible], [illegible] USB

??????????? ????????

????? ??????	[illegible]
[illegible]	8 [illegible]/[illegible]
[illegible]	203 dpi
[illegible] ([illegible] / [illegible])	170 [illegible]/[illegible]
[illegible]	PC437, PC850, PC860, PC863, PC865, [illegible]
[illegible]	[illegible], [illegible] 1x [illegible] 2x [illegible] [illegible], [illegible]
[illegible]	[illegible], 90°, 180°, 270°
[illegible]	[illegible] 20[illegible] [illegible] 54[illegible]
[illegible]	[illegible] 80 [illegible] 180 [illegible]/[illegible]^2
[illegible]	[illegible]. 200 [illegible]
[illegible]	CUSTOM/POS, SVELTA
[illegible]	RS232 + USB ([illegible] COM)
[illegible]	64 [illegible]
[illegible]-[illegible]	18 [illegible]
[illegible]	[illegible] ([illegible]. 2 [illegible] [illegible])
[illegible] SD/MMC	[illegible] = [illegible]. 2 [illegible]
[illegible]	Windows® (32/64 [illegible]) — [illegible] WHQL [illegible]; CUPS Linux (32/64 [illegible]); [illegible] COM (Linux [illegible] Windows 32/64 [illegible]); Android™; iOS
[illegible]	[illegible], PrinterSet, CustomPowerTool
[illegible]	[illegible]: 24 [illegible] [illegible] ± 10 % [illegible] ([illegible]): [illegible] 100 [illegible] [illegible] [illegible] 24° [illegible] [illegible]
C[illegible]	1.2A (12,5% [illegible])
[illegible]	150 [illegible] / 100M [illegible]
[illegible]	[illegible] 1 [illegible] [illegible]
[illegible]	0°C + 50°C
[illegible]	194 [illegible] ([illegible]) x 155 [illegible] ([illegible]) x 133 [illegible] ([illegible]) 364 [illegible] ([illegible]) x 133,2 [illegible] ([illegible]) x 155 [illegible] ([illegible]) [illegible] [illegible] 363,5 [illegible] ([illegible]) x 155 [illegible] ([illegible]) x 133,2 [illegible] ([illegible]) [illegible] [illegible] [illegible]
[illegible]	2,8 [illegible] 3,8 [illegible] [illegible] [illegible] 3 [illegible] [illegible] [illegible]

CUSTOM

??????

911AP030100333

PRINTER B202HIII USB RS232

Via I. Newton, 4 - 43010 Fontevivo PR - [illegible]: IT02498250345 - [illegible]. +39 0521 680111 - [illegible]: - [illegible]: 8RQN7AZ

[illegible]. [illegible]: 22 [illegible] 2026