K80 - TORNADO PRINTER

[illegible]

- [illegible] 200 [illegible]/[illegible]
- [illegible] 76 [illegible] 80 [illegible]
- [illegible] 180 [illegible] [illegible] [illegible]
- [illegible] RS232+USB
- [illegible] [illegible]-[illegible] [illegible] 1D [illegible] 2D (QRCODE)
- [illegible] [illegible]: [illegible] [illegible] [illegible]
- [illegible] [illegible]
- [illegible]: [illegible], [illegible], [illegible], [illegible] [illegible] 6 [illegible], [illegible]

??????????????

????????? ??????? ??? ??????????, ?????????? ??? ??????? ??????? ? ??????? ???????????

- [illegible] [illegible] [illegible]
- [illegible] [illegible]
- [illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible]
- [illegible] [illegible]./[illegible].

????????? ??????

- K80 - TORNADO PRINTER: [illegible] [illegible], [illegible] [illegible], [illegible] [illegible] 180 [illegible]
- K80 - [illegible]: [illegible], [illegible] [illegible] [illegible], [illegible] [illegible] [illegible]

??????????

- ??????? ?????????? ??????? ??? ??????? ?????? 180 ??

??? ? ???????:

- ??????????, ?????????? ???????

??????????? ????????

????? ??????	[illegible]
[illegible]	8 [illegible]/[illegible]
[illegible]	200 [illegible]/[illegible]
[illegible] ([illegible] / [illegible])	150 [illegible]/[illegible]
[illegible]	54 [illegible] [illegible] GB18030-2000, [illegible] PC949
[illegible]-[illegible]	UPCA, UPCE, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, QRCODE
[illegible]	[illegible] 1x [illegible] 8x, [illegible], [illegible], [illegible], [illegible]
[illegible]	[illegible], 90°, 180°, 270°
[illegible]	76, 80 ± 0,5 [illegible]
[illegible]	[illegible] 55 [illegible]/[illegible]2 [illegible] 80 [illegible]/[illegible]2
[illegible]	[illegible] 63 [illegible] 88 [illegible]
[illegible]	[illegible] 52 [illegible] 80 [illegible]
[illegible]	[illegible]. 180 [illegible]
[illegible]	[illegible], [illegible], [illegible], [illegible], [illegible], [illegible]
[illegible]	CUSTOM/POS
[illegible]	USB + [illegible] RS232
[illegible]	8 [illegible]
[illegible]-[illegible]	768 [illegible], 4 [illegible]
[illegible] RAM	128 [illegible]
[illegible]	1 [illegible] (640x409 [illegible])
[illegible]	Windows® (32/64 [illegible]) — [illegible] WHQL [illegible]; Linux (32/64 [illegible]); [illegible] COM (Linux [illegible] Windows 32/64 [illegible]); Android™; iOS
[illegible]	[illegible] PowerTool, Custom Windows API
[illegible]	24 [illegible]. [illegible]. ±10% ([illegible]
C[illegible]	0.8A (12,5% [illegible])
[illegible]	[illegible] ([illegible])
[illegible]	[illegible]
[illegible]	1.000.000 [illegible]
[illegible]	[illegible] 0°C [illegible] +50°C
[illegible]	258([illegible]) x 103.5([illegible]) x 135([illegible]) [illegible]
[illegible]	1250 [illegible]

??????



915LC011100300
PRINTER K80 USB RS232 SHUT+NOTCH+MOUTH



976LC010000001
KIT MECHANISM + CUTTER + BOARD K80

Via Berettine, 2 - 43010 Fontevivo PR - [illegible]: IT02498250345 - [illegible] +39 0521 680111 - [illegible]: +39 0521 610701 - [illegible]: 8RQN

[illegible]
[illegible]: 26 [illegible] 2024