KM216HIII

[illegible] [illegible] [illegible] A4

- [illegible] [illegible] [illegible] (200 [illegible] 300 DPI)
- [illegible] [illegible] A4 (210/216 [illegible])
- [illegible] [illegible]: 63 ... 85 [illegible]
- [illegible] > 180 [illegible]/[illegible]
- [illegible] RS232 + USB ([illegible] [illegible] COM) + Ethernet
- [illegible]-[illegible]: 2D, UPC-A, UPC-E, EAN13,EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32
- [illegible] [illegible] [illegible]: [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible]: [illegible] 300.000 [illegible]
- [illegible]: 270x180x90 [illegible]
- [illegible]: [illegible], [illegible], [illegible], [illegible], [illegible] [illegible] [illegible], [illegible] [illegible] ([illegible])

CUSTOM

??????????????

- 100%-[illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible]: [illegible], [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible]: [illegible] 300.000 [illegible]
- [illegible]: 270x180x90 [illegible]
- [illegible]: [illegible] [illegible], [illegible] [illegible], [illegible] [illegible], [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] ([illegible])
- [illegible] [illegible] [illegible] [illegible], [illegible] [illegible]/[illegible] [illegible] [illegible] [illegible] [illegible] ([illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]-[illegible]
- [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible] [illegible]-[illegible] [illegible]

??????????

- [illegible] [illegible]
- [illegible] [illegible]-[illegible] [illegible]
- [illegible]-[illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible]
- [illegible] [illegible]

??????????

??? ? ???????:

- [illegible], [illegible], [illegible] [illegible] [illegible], [illegible] [illegible], [illegible] [illegible], [illegible] [illegible]

CUSTOM

??????????? ????????

????? ??????	[illegible]
[illegible]	8 [illegible]/[illegible]
[illegible]	203 [illegible]/[illegible]
[illegible] ([illegible] / [illegible])	180 [illegible]/[illegible] ([illegible])
[illegible]	PC437, PC850, PC860, PC863, PC865, [illegible]
[illegible]-[illegible]	1D [illegible] 2D
[illegible]	[illegible], [illegible] 1x [illegible] 8x [illegible], [illegible], [illegible], [illegible], [illegible].
[illegible]	[illegible], 90°, 180°, 270°
[illegible]	210 [illegible] / 216 [illegible] (A4" - US Letter)
[illegible]	[illegible] 58 [illegible] 78 [illegible]/[illegible]^2
[illegible]	[illegible] 63 [illegible] 85 [illegible]
[illegible]	Ø 180[illegible]
[illegible]	CUSTOM/POS
[illegible]	RS232 + USB ([illegible] COM) + Ethernet
[illegible]	19 [illegible]
[illegible]-[illegible]	[illegible]-[illegible] 2 [illegible] [illegible]-[illegible] 8 [illegible] SPI
[illegible] RAM	128 [illegible]
[illegible]	5 [illegible] 1600 x 327 [illegible]
[illegible]	Windows® (32/64 [illegible]) — [illegible] WHQL [illegible]; Linux (32/64 [illegible]); [illegible] COM (Linux [illegible] Windows 32/64 [illegible]); Android™; iOS
[illegible]	[illegible] PowerTool, Status Monitor, Custom Windows API
[illegible]	24 Vdc ± 10%
C[illegible]	3.1 A (12,5% [illegible])
[illegible]	[illegible]000 [illegible] ([illegible])
[illegible]	[illegible]/100M [illegible]
[illegible]	300.000 [illegible]
[illegible]	0°C + 50°C
[illegible]	270 x 180 x 90 [illegible]
[illegible]	4.8 [illegible]

??????

CUSTOM

915AS060100700

PRINTER KM216HIII ETH USB
RS232 EJECTOR

Via I. Newton, 4 - 43010 Fontevivo PR - [illegible] [illegible] [illegible]: IT02498250345 - [illegible]. +39 0521 680111 - [illegible]: - [illegible] [illegible]: 8RQN7AZ

[illegible] 01 [illegible] 2026