

KPM150HIII

[illegible] [illegible] [illegible] [illegible] OEM

- [illegible] [illegible] [illegible] 200 dpi
- [illegible] [illegible]: [illegible] 20 [illegible] 54 [illegible]
- [illegible] [illegible] [illegible] 80 [illegible] 180 [illegible]/[illegible]²
- [illegible] [illegible] > 180 [illegible]/[illegible]
- [illegible] RS232 [illegible] USB ([illegible] [illegible] COM)
- [illegible] [illegible]: [illegible] 1 000 000 [illegible]
- [illegible] [illegible]-[illegible] 1D [illegible] 2D : UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRI QRCODE
- [illegible] [illegible] True Font; [illegible]: [illegible] [illegible] [illegible]
- [illegible]: [illegible], [illegible], [illegible] [illegible] [illegible] [illegible] 3-[illegible], [illegible] [illegible]/[illegible]

CUSTOM

??????????????

- [illegible]
- [illegible]
- [illegible]266 MHz

??????????

- [illegible]
- [illegible]
- [illegible]:
- [illegible]
- [illegible]
- [illegible]

??? ? ???????:

- [illegible], [illegible], [illegible]

CUSTOM

??????????? ????????

????? ??????	[illegible]
[illegible]	8 [illegible]/[illegible]
[illegible]	203 dpi
[illegible] ([illegible] / [illegible])	>180 [illegible]/[illegible]
[illegible]	PC437, PC850, PC860, PC863, PC865, [illegible]
[illegible]	[illegible], [illegible] 1x [illegible] 2x [illegible], [illegible]
[illegible]	[illegible], 90°, 180°, 270°
[illegible]	[illegible] 20[illegible] [illegible] 54[illegible]
[illegible]	[illegible] 80 [illegible] 180 [illegible]/[illegible]^2
[illegible]	[illegible]. 200 [illegible]
[illegible]	CUSTOM/POS, SVELTA
[illegible]	RS232 + USB ([illegible] COM)
[illegible]	64 [illegible]
[illegible]-[illegible]	18 [illegible]
[illegible]	[illegible] ([illegible]. 2 [illegible])
[illegible] SD/MMC	[illegible] = [illegible]. 2 [illegible]
[illegible]	Windows® (32/64 [illegible]) — [illegible] WHQL [illegible]; Linux (32/64 [illegible]); [illegible] COM (Linux [illegible] Windows 32/64 [illegible]); Android™; iOS
[illegible]	[illegible], PrinterSet, CustomPowerTool, Custom Windows API
[illegible]	[illegible]: 24 [illegible] ± 10 % [illegible] ([illegible]): [illegible] 100 [illegible] 24° [illegible]
C[illegible]	0.8A (12,5% [illegible])
[illegible]	150 [illegible] / 100M [illegible]
[illegible]	[illegible] 1 [illegible] [illegible]
[illegible]	-10°C + 60°C
[illegible]	171 [illegible] ([illegible]) x 122 [illegible] ([illegible]) x 114 [illegible] ([illegible]) 194 [illegible] ([illegible]) x 122 [illegible] ([illegible]) x 114 [illegible] ([illegible]) [illegible]/[illegible] 194 [illegible] ([illegible]) x 122 [illegible] ([illegible]) x 114 [illegible] ([illegible]) [illegible]/[illegible]
[illegible]	1,85 [illegible] 1,9 [illegible]/[illegible] 1,95 [illegible]/[illegible]

??????

CUSTOM



915FB030100300

PRINTER KPM150HIII USB RS232

Via I. Newton, 4 - 43010 Fontevivo PR - [illegible]: IT02498250345 - [illegible]. +39 0521 680111 - [illegible]: - [illegible]: 8RQN7AZ

[illegible]

[illegible]: 17 [illegible] 2026