



## ???????????????

- 1D 2D 3D IATA: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QR CODE
- 接口: RS232 / USB / Ethernet
- 分辨率: 100x100 到 1000x1000 (100x100 到 1000x1000), 100x100 到 1000x1000, 100x100 到 1000x1000, 100x100 到 1000x1000, 100x100 到 1000x1000
- 操作系统: Win7, 8, 8.1, 10 (32-64 位); Linux (32-64 位); Android
- 接口: AEA Windows
- 接口: Custom

## ?????????????????:

- 接口: RS232 / USB / Ethernet
- 分辨率: 100x100 到 1000x1000 (100x100 到 1000x1000), 100x100 到 1000x1000, 100x100 到 1000x1000, 100x100 到 1000x1000, 100x100 到 1000x1000
- 操作系统: Win7, 8, 8.1, 10 (32-64 位); Linux (32-64 位); Android
- 接口: AEA Windows
- 接口: Custom

## ?????????????:

- 接口: RS232 / USB / Ethernet
- 分辨率: 100x100 到 1000x1000 (100x100 到 1000x1000), 100x100 到 1000x1000, 100x100 到 1000x1000, 100x100 到 1000x1000, 100x100 到 1000x1000
- 操作系统: Win7, 8, 8.1, 10 (32-64 位); Linux (32-64 位); Android
- 接口: AEA Windows
- 接口: Custom

