



KPM302III

RFID OEM

- 300 dpi (203 dpi)
- 20 x 82,5 mm
- > 200 mm/min
- 1D 2D: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX CODE
- True Font, 1000 characters
- Ethernet, RS232, USB (COM)
- 1 500 000 characters
- 4 / hole mark ();



??????????????

- **RFID:** **SAM**
- **32 bit**
- **True Font**
- **Sw EasyMifare** / **tag mifare**
- **Sw EthLocator**

??????????

- **ATB**
- **VeriPrint®**
- **UHF RFID: UHF EPC Gen2**
- **HF CUSTOM RFID:** Mifare UltraLight, Mifare 1K\4K, Mifare UltraLight EV1, Mifare UltraLight C, Mifare UltraLight C + SAM, Mifare DESFire, Mifare Plus, NTAG 203 (NFC), NTAG 213 (NFC), Sri-Srx-Srt, Calypso, iCode SLI, iCode Texas
- **Burster kit/autocutter/tear off**

?? ???????

- **Triple Feeder Stock** (3)
- **VeriPrint®**
- **UHF RFID: UHF EPC Gen2**
- **HF CUSTOM RFID:** Mifare UltraLight, Mifare 1K\4K, Mifare UltraLight EV1, Mifare UltraLight C, Mifare UltraLight C + SAM, Mifare DESFire, Mifare Plus, NTAG 203 (NFC), NTAG 213 (NFC), Sri-Srx-Srt, Calypso, iCode SLI, iCode Texas
- **Burster kit/autocutter/tear off**

??? ? ???????

- **RFID: SAM**

