



## TG02H



Thermal printer TG02H

- Resolution 200dpi
- Paper width 57mm
- Paper length > 80mm
- Paper diameter 90mm
- Interface RS232 & USB (TTL & UART)
- Power supply 12V & 24V



## ??????????????

- ?????????? ?????? ?????? 1D/ 2D (QR CODE)
- ?????????? ?????????????????? ??????: ?????? ?????????????? ??????
- ?????????????????????? ?????????? ?????????? ??????????
- ?????????? ??????????????: ?????????? ?????????????????? -20/+ 70°C
- ?????????? ?????????????????? ? ?????????? ??????????????
- ?????????????? ?????????? ??????????????

## ?????????????

- ?????????????? ??????????????
- ?????????? ?????? ?????????????? ?????????- ??????
- ?????????????? ??????????????
- ?????????? ??????????????????????????????????

---

## ?????????????

### ??? ? ??????????:

- ??????????????, ?????????????? ??????????, ?????????? ??????????, ?????? ?????? ?????????????? ?????????? ??????????

???????????? ???? ?????

????? ??????

????????????? ? ?????????????????? ?????????

????????????? ?????

8 ?????/??

????????????? ?????????? ? ?????

?? ?????????? 24; 32 ? 42 ?????????? ?????????? ? ?????????? ?????

?????????????

203 dpi

????????????? ????? (?? / ??)

80 ??/?? (????????? 50 ??/??)

????????? ??????????

????????????????? (?? ??????????), ??????????, ??????????

????????????????????? ?????-????

1D/ 2D QR CODE

????????? ??????????

?????????????, ?????????/????????? ?? 1 ?? 8, ?????, ?????????????, ?????????????????, ?????

????????????????? ?????

????????, 180°

????????? ?????

57??

????????????? ?????

?? 55 ?? 60 ??/??

????????? ?????

48 ??

????????? ?????

?? 90??

?????????

????????????????? ?????????, ?????????????????? ?????????, ?????? ?????????????????? ?????????, ?????-????????

?????????

????????????????? Escape Command

?????????????

RS232 (TTL ??????????), USB, AUX ?????? ?? ? ?????????? ?????

????????? ?????

8 Kb

????-????

4 Mb

???????? RAM

512 Kb

????????????????? ?????

2 ?????????? 384x682 ?????

?????????

Windows® (32/64 ??) — ?????? ?? ?????????? WHQL ? ?????????????????? ??????????;  
Linux (32/64 ??);  
????????????????? COM (Linux ??? Windows 32/64 ??);  
Android™;  
iOS

????????? ?????????????????????? ?????????? ?????????? CustomPowerTool, Custom Windows API

?????????

12 - 24 Vdc ± 10%

C????????? ?????????????

0.7 A (12Vdc)  
0.4 A (24Vdc)

????????? ?????? ?????????????????? ?????????? 420 000 ????? (????????????????? ?????)

????? ?????????? ?????????????? ??????????

50??/100M ?????????

????????? ?????????????

-20/+ 70°C

?????????

129(L) x 120(H) x 100(W) ?? (????????? ?????)  
126.2(L) x 85.2(H) x 92(W) ?? (????? ? ?????????????)

????

0,33 ?? ?? ? ?????????? ?????

???????

