



TG02H



Thermal printer TG02H

- Resolution 200dpi
- Paper width 57mm
- Paper length > 80mm
- Paper diameter 90mm
- Interface RS232 & USB (TTL & UART)
- Power supply 12V & 24V



??????????????

- ?????????????? 1D/ 2D (QR CODE)
- ?????????????? ?????? ?????? ?????? ??????
- ?????????????? ?????? ?????? ??????
- ?????????????? ?????? ?????? -20/+ 70°C
- ?????????????? ?????? ??????
- ?????????????? ?????? ??????

????????????

- ?????????????
- ????????????? ?????? ??????
- ?????????????
- ?????????????????????????

????????????

??? ? ?????????:

- ?????????????, ?????????????, ?????? ??????, ?????? ?????? ?????? ?????? ??????

???????????? ???? ?????

????? ??????

????????????? ? ?????????????????? ?????????

????????????? ??????

8 ?????/??

????????????? ?????????? ? ?????????

?? ?????????? 24; 32 ? 42 ?????????? ?????????? ? ?????????? ?????????

?????????????

203 dpi

????????????? ?????? (?? / ??)

80 ??/?? (????????? 50 ??/??)

????????? ??????????

????????????????? (?? ??????????), ??????????, ??????????

????????????????????? ??????-?????

1D/ 2D QR CODE

????????? ??????????

?????????????, ?????????/????????? ?? 1 ?? 8, ?????????, ??????????????, ??????????????????, ?????????

????????????????? ??????

????????, 180°

????????? ??????????

57??

????????????? ??????????

?? 55 ?? 60 ??/??

????????? ??????????

48 ??

????????? ??????????

?? 90??

?????????

????????????????? ??????????, ?????????????????? ?????????, ?????? ?????????????????? ?????????, ?????-?????????

?????????

????????????????? Escape Command

?????????????????

RS232 (TTL ??????????), USB, AUX ?????? ?? ? ?????????? ??????

????????? ??????????

8 Kb

?????-?????????

4 Mb

????????? RAM

512 Kb

????????????????? ?????????

2 ?????????? 384x682 ??????

?????????

Windows® (32/64 ?????) — ?????????? ?? ?????????? WHQL ? ?????????????????????? ??????????????
Linux (32/64 ?????);
????????????????? COM (Linux ??? Windows 32/64 ?????);
Android™;
iOS

????????? ?????????????????????????? ?????????? ?????????? CustomPowerTool, Custom Windows API

?????????

12 - 24 Vdc ± 10%

C????????? ??????????????????

0.7 A (12Vdc)
0.4 A (24Vdc)

????????????? ?????????? ?????????????????? ?????????? 420 000 ?????? (????????????????? ?????????)

????? ?????????? ?????????????????? ??????????

50??/100M ??????????????

????????????? ??????????????????

-20/+ 70°C

?????????????

129(L) x 120(H) x 100(W) ?? (????????? ??????)
126.2(L) x 85.2(H) x 92(W) ?? (????? ? ??????????????????)

????

0,33 ?? ?? ? ?????????????? ?????????

???????

