



# TK180

TK180 - 180mm wide thermal printer, 100% duty cycle, 100% uptime

TK180 - 180mm wide thermal printer, 100% duty cycle, 100% uptime, AEA 203 dpi, Ethernet, RS232, USB





?????????? ?

????? ???? ?

8

200 / 300

( / )

1D 2D IATA: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DAT  
AZTEC, QR CODE

54 ( IATA BTP – 740)  
82,5 ( IATA ATB – 722e)

70/255

200 , 25 ,

CUPPS " " AEA 2012, IPTS 2018, ITPS 2019, ITPS 2022

RS232 / USB / ETHERNET

16 / 1

3

Windows® (32/64) — WHQL  
Linux (32/64);  
COM (Linux Windows 32/64);  
OPOS;  
Android™;  
iOS

24 ±10%, 100 240

1,5A (12,5%)


-10°C + 60°C ±10%

BPP: W 130 x D 185,9 x H 118,9

BTP x W 136,5 x D 371,4 x H 210,8

1.9

??????



**911HL020900733**

PRINTER TK180 ETH USB RS232  
AVIATION

**911HL021100733**

PRINTER TK180 RFID UHF ETH  
USB RS232 AVIATION

