TK180 METAL TEAR-OFF

[illegible], [illegible]

TK180 Metal - [illegible] "[illegible] 203 [illegible]/[illegible]. [illegible] RS232 + USB. [illegible] True [illegible]-[illegible] [illegible]
TK180 metal casing is available in two versions: with practical tear-off or with reliable autocutter.

CUSTOM

??????????????

- [illegible]
- [illegible] "[illegible]"
- [illegible] CUPPS [illegible] "[illegible]" [illegible] AEA 2012, IPTS 2018, ITPS 2019, ITPS 2022
- [illegible] [illegible] [illegible] 203 [illegible]
- [illegible]: USB, RS232 [illegible] Ethernet
- [illegible]
- [illegible]
- [illegible]
- [illegible]

??????????????

- [illegible] [illegible] CUSS, [illegible]
- [illegible]
- [illegible]
- [illegible] Hot swap
- [illegible]

??????????

- [illegible]
- [illegible]
- [illegible]

??????????

- [illegible]
- [illegible]
- [illegible]

??????????? ????????

????? ??????	[illegible]
[illegible]	8 dots / [illegible]
[illegible]	203 dpi
[illegible] ([illegible] / [illegible])	203 [illegible]/[illegible]
[illegible]	[illegible], [illegible], [illegible]
[illegible]	54 [illegible] ([illegible] IATA BTP – [illegible] 740) 82,5 [illegible] ([illegible] IATA ATB — [illegible] 722e)
[illegible]	[illegible] CUPPS [illegible] "[illegible]" [illegible] AEA 2012, IPTS 2018, ITPS 2019, ITPS 2022
[illegible]	RS232 + USB, Ethernet
[illegible]	16 KB [illegible] / 1 MB [illegible]
[illegible]-[illegible]	3 MB
[illegible]	Windows® (32/64 [illegible]) — [illegible] WHQL [illegible]; Linux (32/64 [illegible]); [illegible] COM (Linux [illegible] Windows 32/64 [illegible]); OPOS; Android™; iOS
[illegible]	24 Vdc±10%, [illegible] 100 [illegible] 240 [illegible]
C[illegible]	1.5A (12,5% [illegible])
[illegible]	100[illegible]/100M [illegible]
[illegible]	[illegible] -10°C [illegible] +60°C
[illegible]	122.6 (L) x 85 (H) x 145.6 (W) [illegible]
[illegible]	2.2 [illegible]

??????

911HL010400733
PRINTER TK180 METAL USB RS232 AVIATION

911HL011000733
PRINTER TK180 METAL RFID UHF USB RS232 AVIATION

911HL012100733
PRINTER TK180 METAL LL INTEGRATED RFID UHF AVIATION

Via I. Newton, 4 - 43010 Fontevivo PR - [illegible]: IT02498250345 - [illegible] +39 0521 680111 - [illegible] - [illegible]: 8RQN7AZ

[illegible].
[illegible]: 01 [illegible] 2026