

????????????????

- Ethernet 10/100/1000 Mbps
- Processor 200 MHz
- Memory 20 MB 82,5 MHz
- Storage (SD) 80 MB 255 MB / 2 GB
- Display 1.5 inch
- Resolution 32 bit 266 MHz
- RAM 32 MB 32 MB
- SD Card 2 GB
- SW COM / USB
- Battery

????????????????

- Barcode 1D 2D: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX CODE
- RS232 + USB + Ethernet
- SD Card 2 Gb USB 8 Mb, True Font
- Battery



?? ????????

- Processor 200 MHz
- Memory 20 MB
- Storage 2 GB

???????????? ???? ?????

????? ??????	????????????? ? ?????????????? ?????????
????????????? ?????	8 dots / ?
?????????????	203 dpi
????????????? ????? (?? / ???)	200 ? / ???
????????? ?????????	PC437, PC850, PC860, PC863, PC865, PC858
?????? ?????????	????????? ? ?????????? 1x ? 8x, ??????????????, ??????????????????, ?????????, ?????????
????????????????? ?????????	????????????????? 90°, 180°, 270°
????????? ?????????	? 20? ? 82.5? (?? 2?)
????????????????? ?????????	? 80 ? 255 ?/?
?????????????	CUSTOM/POS - SVELTA
?????????????????	RS232 / USB / Ethernet
?????? ? ???????	64 KB
????- ???????	16 MB
????????????????? ?????????	????????????????? ?????????????????? (???? 2MB ?????????????????? ?????????)
??????????	Windows® (32/64 ?) — ?????????? ? ? ?????????? WHQL ? ?????????????????????? ??????????????; Linux (32/64 ?); ????????????????? COM (Linux ? Windows 32/64 ?); OPOS; Android™; iOS
????????? ?????????????????????????? ?????????????????? ??????????????????	PowerTool, Status Monitor, EasyMyfare, EthLocator
??????????	220 Vdc ± 10%
C ?????????? ??????????????????	0.8A (12,5% ?????????? ??????)
????? ?????????? ?????????????????? ?????????????? ?/100M ??????????????	
????????? ?????????????????????	???? 1.500.000 ?????????????
??????????????	252,1 (L) x 192,6 (H) x 216 (W) ?
????	4 ?

???????



911BB070100713
PRINTER TK302III ETH USB RS232

911BB070900713
PRINTER TK302III ETH USB RS232
BCR

