



TL60III

XXXXXXXXXX XXX XXXXXXX XXXXXXXXXXXXXXX/XXXXXXXX XXXXXXX

- XXXXXXXXXXXXXXX XXXXXXX (XXXX/XXXXXXXXXXXX XXXXXXX)
- XXXXXXX XXXXXXXXXXX XXXXXXX 200 dpi
- XXXXXXX XXXXXXX 60 mm
- XXXXXXXXXXX XXXXXXX: mm 63 mm 85 mm
- XXXXXXXXXXX XXXXXXX > 140 mm/ mm
- XXXXXXXXXXX RS232 USB
- XXXXX-XXXX: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, QR CODE
- XXXXXXX: XXXXXXXXXXXXXXX, XXXXXXXXXXXXXXX, XXXXXXXXXXXXXXX, XXXXXXXXXXXXXXX, XXXXXXXXXXX XXXXXXX
- XXXXXXXXXXXXXXX XXXXXXXXXXXXXXX: XXXXX 1 000 000 XXXXXXX
- XXXXXXX: XXXXXXX XXXXXXX X XXXXXXXXXXX XXXXXXX



??????????????

- ?????? ??????????: ????? 77 ? ? ?????
- ????????? ????????? ???? ????????? ????????? ?????????????, ??-20°C ??+70°C
- ????????????? ????????? ?????????????? ? 3 ?????????? (??????, ?????, ?????)
- ????????? ????????? ????????? ??80 ?
- ????????? ????????????????? ????????? ???? ????????? ?????? ?????? ?????????
- ????????????????? ????????????????? ????????? ???? ????????????? ????????? ???? ????????????? ????????????? ?????????

????????????

- ????????????? ?????????????????????
- ~~????????~~ ???? ?????
- ????????????? ?????????????
- ????????? ????????????????? ????????????????? ?????????
- ????????????? ?????????

????????????

??? ? ?????????:

- ??????????, ?????? ??????, ?????????? ?????? ????????????? ?????? ??????, ?????????? ?????? ??????

?????????? ??????????

????? ??????

显示分辨率	8 英寸/英寸
显示分辨率	2448x1440
显示分辨率	203 dpi
显示分辨率	(1000 / 1000)英寸/英寸
显示分辨率	PC437, PC850, PC860, PC863, PC865, PC858, PC866, VISCII(0104: PC437, PC850, PC860, PC863, PC865, PC858, GB2312)
显示分辨率	显示分辨率, 显示分辨率/英寸 1 英寸 4, 显示分辨率, 显示分辨率, 显示分辨率, 显示分辨率
显示分辨率	显示分辨率, 180°
显示分辨率	60英寸
显示分辨率	55 英寸 80 英寸
显示分辨率	63 英寸 85 英寸
显示分辨率	80 英寸
显示分辨率	显示分辨率, 显示分辨率, 显示分辨率
显示分辨率	Custom/POS, TGH
显示分辨率	RS232 + USB
显示分辨率	2 英寸
显示分辨率	1 MB
显示分辨率	2 英寸 448x584 英寸
显示分辨率	Windows® (32/64 英寸) — 显示分辨率 WHQL 显示分辨率; Linux (32/64 英寸); COM (Linux 显示分辨率 Windows 32/64 英寸); Android™
显示分辨率	显示分辨率, 显示分辨率, 显示分辨率, CustomPowerTool, Custom Windows API
显示分辨率	24V +/- 10%
显示分辨率	0.65A (12,5% 显示分辨率)
显示分辨率	显示分辨率 (显示分辨率 显示分辨率)
显示分辨率	显示分辨率 显示分辨率
显示分辨率	TL60III 显示分辨率/英寸 英寸 TL60III EJ 英寸 英寸
显示分辨率	-20°C + 70°C
显示分辨率	130(l)x105(w)x77(h)英寸
显示分辨率	0,800 英寸

??????



915CJ040100300

PRINTER TL60III USB RS232



915CJ040200300

PRINTER TL60III USB RS232
EJECTOR

Via I. Newton, 4 - 43010 Fontevivo PR - [REDACTED] [REDACTED] [REDACTED] IT02498250345 - [REDACTED] +39 0521 680111 - [REDACTED] - [REDACTED] [REDACTED] [REDACTED] 8RQN7AZ

XXXXXXXXXX 2026 08 XXXXXXXX 2026