



# TL80III

## 

- ANDRANDANAN ANDRAN (ANDRANDANAN ANDRAN
- XXXXXXX XXXXXXXX XXXXXX 200 dpi

- $\square$
- ⊠⊠⊠⊠⊠⊠⊠⊠ RS232 ⊠ USB
- MMMMM MMMMMMMM UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, QRCODE
- MANNA: MANNAMANA, MANNAMANANA, MANNAMANANA, MANNAMANANANA, MANNAMANA AMANANANA
- MANANA: MANANA MANANA, MANANANA MANANANA MANANANA MANANANA MANANANA MANANANA (MANANANANANA)





#### ?????????????

- XXXXX XXXXXXXXXXX XXXXX 77 XX X XXXXXX
- NAMANAMAN MANAMAN MANAMAN
- MANAMANA MANAMA MANAMANAMA 3 MANAMAMA (MANAMA, MANAMA, MANAMA)

#### ?????????

#### ?????????

#### ??? ? ???????:



### ?????????? ????????

????? ??????	
XXXXXXXXXX XXXXX	8 🖾 🖾 🖂 🖂
MANAMAMAMAMA MANAMAMAMAMAMA SATAMAMAMAMA O	
XXXXXXXXX	203 dpi
	/ 18/18/00/2012/ 12/2012
XXXXXX XXXXXXX	PC437, PC850, PC860, PC863, PC865, PC858, PC866, VISCII(XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXX XXXXXXX	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
XXXXXXXXXXXX XXXXXX	
XXXXXX XXXXXX	80 🖾
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XIX 55 XIX 80 X/X <sup>2</sup>
XXXXXXX XXXXXX	XIX 63 XIX 85 XIX
XXXXXXX XXXXXX	
XXXXXX	
XXXXXXXX	XIXIXIXIXIXIXIXIXIXIXIXIXIXIXIXIXIXIXI
XXXXXXXXXX	RS232 + USB
	2 🖾
XXXX-XXXXXX	1 MB
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	2 XIXIXIXIXIXIXIX 608x430 XIXIXIX
XXXXXXXXXXXXX	Windows® (32/64 MMM) — MMMMMMMMMMMMMMMMMMMMMMMMMMMMMMM
XXXXXXX XXXXXXXXXX	MARANANANAN SARANANANANAN OLI MARANANANAN MARANANAN MARANANAN MARANANAN MARANANANAN MARANANANAN MARANANANAN MARANANANANAN MARANANANANANANANANANANANANANANANANANANA
XXXXXXX	24V +/- 10%
C XXXXXX XXXXXXXXXX	0.8A (12,5% XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
NXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
ANNANA NANANANANA	型-20°C + 70°C
XXXXXXX	128,7(L)x130,2(W)x77(H) ፟፟፟፟፟
	0,900 ₪

## ??????





**915CK030100300**PRINTER TL80III USB RS232

NAMED NAMED