



## VK80



- Resolution: 200/300 dpi
- Dimensions: 45 x 82.5 mm (width x height)
- Print speed: > 200 mm/min
- Supported 1D-2D: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX
- True Font: TrueType, PostScript, etc.
- Capacity: 1 500 000 labels
- Features: Thermal, Direct, etc.



## ???????????????

- ?????? ?????????????? ? ?????????? ??????????
- ?????????? ??????????, ?????????????????????? IP-?????????
- ?????????? CUPPS
- ?????????? ?????????? ??? ?????????? ?????????? ??????????
- ?????????????? ?????????? ??????????????????????

## ??????????????:

- ?????????? ??? ??????????????
- ?????????????????????????? ??????????
- ?????????????????? ??? ??????????????????
- ?????????? ?? ??????????
- ?/? ??????????
- ?????????????????? ??????????

## ??????????????? ???????????????:

- ?????????????????????? ?????????????????? ?????????? ?????????????????? ???-????????? (????????? ??? ?????????????? 200 dpi)
- ?????????????????????????? ?????????????? ?????????????????? ?????????? ? ?????????????????? ? ?????????????????? ?????????????? ??????????????
- ?????????????????????????? ?????????????? ?????????????????? ? ??????????????
- ??? ?????????????? ?????????????? ??? ?????????-????????? ??????????????????
- SDK ??? ?????????????????? ?????????????????? ?????????????????? ??????????????????
- ?? ?????????????? ??? Win XP/Vista/7
- ?????????????? Linux (C.U.P.S.)
- ?????????????? JavaPOS
- Sw EthLocator ??? ?????????? ??????????????????, ?????????????????? ? ??????, ? ?????????????????? ?????????????????? ??????????????????
- CustomPowerTool

---

## ???????????????

- ?????????????????? ??? ?????????? ?????????? ?????????? ??? 60 ??? 82.5??
- ?????????? ?????????????????? ??????????

## ??? ? ???????????:

- ??????????????????, ?????????????? ?????????????????????? ??? ?????????????????? ?????????? ??????????, ?????????? ??????????

