



# KPM150HIII

OEM

- 200 dpi
- 20 54
- 80 180 / <sup>2</sup>
- > 180 /
- RS232 USB COM
- : 1.000.000
- 1D 2D :
- UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QRCODE
- True Font
- 3 /



??

- 266 MHz

??

- 

????????

-


????

????

	8 /
	203 dpi
/	>180 /
	PC437, PC850, PC860, PC863, PC865,
	, 1 2 ,
	, 90°, 180°, 270°
	20 54
	80 180 / <sup>2</sup>
	200
	CUSTOM/POS, SVELTA
	RS232 + USB
	64 KB
	18 MB
	2 MB
SD/MMC	= 2 GB
	Windows® 32/64 --- WHQL
	Linux 32/64
	COM Linux Windows 32/64
	™
	iOS
	, PrinterSet, CustomPowerTool, Custom Windows API
	24 Vdc ± 10%
	100 Vac 240 Vac
	0.8A (12,5% )
	150 / 100M
	100
	-10°C + 60°C
	171 x 122 x 114
	194 x 122 x 114 /
	194 x 122 x 114 /
	1,85
	1.9 /
	1.95 /

??

# CUSTOM



**915FB030100300**

PRINTER KPM150HIII USB RS232

---

Via I. Newton, 4 - 43010 Fontevivo PR -

IT02498250345 -

+39 0521 680111 -

- 8RQN7AZ

01 2026