



KPM216HIII ETH

A4

- > 200mm/
-
- RS232+USB+ 3
- PrinterSet
- CPT CustomPowerTool /
-



??

- (300 dpi)
- kiosk
- Dot :
- 100%

??:

- Kiosk
- Kiosk
- Kiosk
- Kiosk
-

??:



PrinterSet???

- Dll
- WinXP, Vista, 7, 8, 8.1, 10 (+32/64bit)
- Linux (C.U.P.S.) 32/64 bit
- Sw EthLocator
- CPT CustomPowerTool /

????:

- +USB+ 200 dpi 24V
- +USB+ 300 dpi 24V

??


?????????

- +

????

	200 dpi ??	300 dpi ??
	8 /	12 /
	203 dpi	300 dpi
	/ 200 /	
	PC437, PC850. PC860. PC863, PC865,	
	1D 2D	
	1 8	
	, 90°, 180°, 270°	
	210 / 216 (A4" - US)	
	58 78 / ²	
	63 85	
	180	
	CUSTOM/POS	
	RS232 + USB +	
	19 KB	
	2MB internal flash and 8MB external SPI flash	
RAM	128Kbytes	
	5 1600 x 327	5 2368 x 327
	WinXP, Vista, 7, 8, 8.1, 10; Linux; Android	
	PrinterSet, CustomPowerTool, DLL , EthLocator	
	24 Vdc ± 10%	
	2.5A (12,5%)	
	100 / 100M	
MCBF	300.000	
	0°C + 50°C	
	270 x 190 x 90	
	4.8	

??



915AS050200700
 PRINTER KPM216HIII ETH USB
 RS232 ESP 300

915AS050100700
 PRINTER KPM216HIII ETH USB
 RS232 ESP

