

KPM302III

RFID

OEM

- 2000 (300 dpi???)
- 20 82.5
- > 200 /
- 1D 2D : UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QR CODE
- True Font, .
- , RS232 USB COM
- : 1.500.000
- : 4 /



??

- RFID : SAM
- 32 bit
- ???) (
- True Font)
- Sw EasyMyfare / tag mifare
- Sw EthLocator

??

- : ATB
-

???

- Triple Feeder Stock 3 3
- VeriPrint® ;
-
- **UHF RFID:** UHF EPC Gen2
- **HF CUSTOM RFID:** Mifare UltraLight, Mifare 1K\4K, Mifare UltraLight EV1, Mifare UltraLight C, Mifare UltraLight C + SAM, Mifare DESFire, Mifare Plus, NTAG 203 (NFC), NTAG 213 (NFC), Sri-Srx-Srt, Calypso, iCode SLI, iCode Texas
- / /

???????


- 40mm CUT DROP BURSTER
-

????

????

8 /
203 dpi
/ 200 / (), 170 / (), 110 / ()
PC437, PC850, PC860, PC863, PC865, PC858
1 8
, 90°, 180°, 270°
20 82.5 (2)
80 255 / ²
300
CUSTOM/POS - CUSTOM/LABEL
RS232 / USB COM /
32 KB
16 MB
(1MB)
Windows® 32/64 --- WHQL
CUPS Linux 32/64
COM Linux Windows 32/64
OPOS;
™
iOS
PrinterSet, CustomPowerTool, Status Monitor, EasyMyfare, EthLocator, Custom Windows API
24 Vdc ± 10% ()
0.8A (12,5%)
MTBF 550,000 ()
100 / 100M
MCBF 1.500.000
0°C + 50°C
191x123(h)x160
3.5

??



915AV210100700
PRINTER KPM302III ETH USB
RS232

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - - 8RQN7AZ

08 2026