




## SERIE MT

- /
- :60/80
- 200 dpi (8 dot/ )
- 150 /
- 



??

????

- RS232 USB
- : UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32
- :
- : 1.000.000
- :



????MT2460

- 

??:

- POS/EFT
- /
- 

??:

- : WinXP/Vista/7 (+64bit ) - Linux Driver (C.U.P.S.) 32/64 bit
- : LogoMake, FontMake, UpgCePrn


????:

- MT2460 60mm 24Vdc
- MT2460 60mm 24Vdc
- PLUS2 4 7.5Vdc


????

| MT2460                 | PLUS2                  |
|------------------------|------------------------|
| 8 /                    | 8 /                    |
| 203 DPI                | 203 DPI                |
| 150 /                  | 50 /                   |
| 60                     | 57                     |
| 55 - 80 / <sup>2</sup> | 55 - 70 / <sup>2</sup> |
| 56                     | 48                     |
| 24 Vdc                 | 4 7.5 Vdc              |
| 100 /100M              | 100 /100M              |
| 5°C + 50°C             | -20°C + 70°C           |
| 85,4 x 49 x 20         | 85 x 56,9 x 85         |
| 72g                    | 141g                   |

??



**917EF051700000**  
PRINTING MECHANISM MT2460  
CUT+HORIZ SUPP



**917EF051800000**  
PRINTING MECHANISM MT2460  
CUT+VERT SUPP



**915CW100300022**  
MECHANISM PLUS2

CUSTOM SPA - Via Berettine, 2 - 43010 Fontevivo PR -

IT02498250345 -

+39 0521 680111 -

+39 0521 610701 -

TI80WIO

18 2019