



TK180

TK180

TK180

> 200mm/

RS232 USB



??

- 130 x 185.9 x 118.9 mm 5.1" x 7.2" x 4.6"
- > 200mm/ 8"/
- + RS232 + USB COM
- 20mm 82.5mm
- 70/255 gr/m2
- PDF417 DATAMATRIX AZTEC QR CODE
-

???

- True Font
- /

??

- /
- (AEA)
-



??

-

?????????

-
-

????

????

	203dpi 8dots/mm
	203dpi
	/ 203dpi 200mm/
	PC437 PC850 PC860 PC863 PC865
	UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QRCODE
	/ 1 8
	, 90°, 180°, 270°
	20 82.5
	70 255g/m ²
	270 mm
	80mm
	200mm 25mm
	CUSTOM/POS, SVELTA
	+ RS232 + USB COM
	16 Kbytes
	1Mbyte + 8Mbyte 4MBytes
RAM	128Kbytes + 8Mbytes
	Windows® 32/64 --- WHQL
	Linux 32/64
	COM Linux Windows 32/64
	OPOS;
	™;
	iOS
	PrinterSet, CustomPowerTool, Status Monitor
	24 Vdc±10%, 110Vac
	1.5A 12.5%
MTBF	113.000
	100Km / 100M
	-10°C +60°C
	130mm x 185.9mm x 118.9mm
	1.9 Kg

??



911HL021000733

PRINTER TK180 RS232/USB/ETH
PLASTIC CASE

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - - 8RQN7AZ

23 2026