



TK302III

TK302III



TK302III



??

-
- 200 /
- 20 82.5
- : 80 255 / ²
- 2
- 1.5
- 32 bit 266 MHz
- 32 MB 32 MB
- SD 2 GB
- SW COM/USB

???

- 1D 2D: UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX, AZTEC, QR CODE
- RS232 + USB +
- :
- 2G SD 8Mb USB , True Font
- ;



???

- -
-

????

????

	8 dots/
	203 dpi
/	200 /
	PC437, PC850. PC860. PC863, PC865, PC858
	1 8
	, 90°, 180°, 270°
	20 a 82.5 (2)
	80 255 / ²
	CUSTOM/POS - SVELTA
	RS232 / USB /
	64 KB
	16 MB
	(2MB)
	Windows® 32/64 --- WHQL
	Linux 32/64
	COM Linux Windows 32/64
	OPOS;
	™
	iOS
	PrinterSet, CustomPowerTool, Status Monitor, EasyMyfare, EthLocator
	220 Vac ± 10%
	0.8A (12,5%)
	100 /100M
MCBF	1.500.000
	252,1 (L) x 192,6 (H) x 216 (W)
	4

??



911BB070100713

PRINTER TK302III ETH USB RS232

911BB070900713

PRINTER TK302III ETH USB RS232

BCR

CUSTOM

Via I. Newton, 4 - 43010 Fontevivo PR -

IT02498250345 -

+39 0521 680111 -

- 8RQN7AZ

07 2026