



TREK Monitor 21.5"

21.5" Touchscreen Monitor

With its sleek and minimalistic design, the **TREK 21.5" Monitor** fits wherever touchscreen functionality is required. **POS, Self-Service, KDS, Price Checker**, and more, TREK Monitor offers flexibility to install as either an operator touchscreen or an interactive customer facing display. Deploy countertop on the included stand or leverage the 75mm VESA pattern for pole and wall mounting. Purpose built for commercial environments, TREK Monitor features single USB-C cable convenience and rugged IP54 protection. And, as with all TREK products, you can easily add accessories to transform TREK Monitor for any use case.

To learn more about the entire TREK family of products, please [click here](#).



??

1. Simplicity

TREK Monitor simplifies connectivity via a single USB-C cable which provides touch, video signal and power. Alternatively, HDMI, USB-A and power connectors are also available to support legacy connections to POS systems, PCs and compute boxes.

2. Versatility

TREK Monitor supports all TREK micro USB accessories allowing for endless configurations to support a variety of use cases.

3. Flexibility

Whether placed on the counter via the included stand or mounted onto any 75 x 75 mm VESA pole or bracket, the TREK monitor can be positioned wherever needed to best serve the customer.

4. Durability

Retail-hardened and backed by Custom’s warranty support, TREK Monitor is built to withstand the rigors of any environment.

MARKETS

- Retail
- Hospitality
- Grocery
- C-Store
- Entertainment
- Gaming, Lottery and Betting

??

938PW010100001	Fingerprint Reader for Trek Terminal
938PW010100002	2D scanner for Trek Terminal
938PW010100003	3 Track MSR for Trek Terminal
938PW010100004	NFC/RFID Reader for Trek Terminal
938PW010100005	LED Light Bar for Trek Terminal
938PW010100006	Camera/Microphone for Trek Terminal
938PW010100012	iButton Reader for Trek Terminal
938PW010100007	Trek series POS stand all screen sizes

????

Touch Display	21.5"
Resolution	1920 x 1080
Aspect Ratio	16:9
Touch Technology	True-Flat PCAP multi-touch
Touch Interface	USB
Brightness	LCD Panel: 350 NITS PCAP Touch: 310 NITS
Viewing Angle	Horizontal: ±89° or 178° total / Vertical: ±89° or 178° total
USB Type-C	1x USB 3.0 full-functioned (DP / PD 5 V / 2 A, 12 V / 1 A)
HDMI	1x
Micro USB	3x
DC Jack	1x 2 pin
Speaker	1x 3 W
Auto Adjust Button	1x
Power Button	1x
Stand	Included
VESA Mount	75 x 75 mm
Accessory Options	2D Scanner, Camera / Microphone, Fingerprint Reader, NFC / RFID Reader, iButton, Light Bar, MSR
Ingress Protection	IP54 (screen side)
Operating Temperature	0° C ~ 35° C (32° F ~ 95° F)
Storage Temperature	-20° C ~ 60° C (-4° F ~ 140° F)
Humidity	20% ~ 85% RH non-condensing
W x D x H	571.8 mm x 42 mm x 309.6 mm (without stand) 517.8 mm x 165 mm x 334.5 mm (with stand)
Weight	3.09 kg (without stand) 3.95 kg (with stand)
What's in the Box	Monitor, Stand, 1.8 m USB-C cable, Power supply, NA power cord, EU power cord (Note: power supply required only for HDMI + USB-A connections)

??



932PW010200M33
Trek 21.5" Touch Monitor,Stand