

VK80

- 200/300 dpi
- 45 82.5 ()
- > 200 /
- 1D-2D : UPC-A, UPC-E, EAN13, EAN8, CODE39, ITF, CODABAR, CODE93, CODE128, CODE32, PDF417, DATAMATRIX
- True Font :
- > 1.500.000
- : , , , ,



??

- , IP
- CUPPS
-

??:

- Kiosk
-

??:

- 200dpi
- dll
- Win XP/Vista/7
- Linux (C.U.P.S.)
- JavaPOS
- Sw EthLocator
- CustomPowerTool

??


- 60 82.5
-

????

????

	8 /
	203 dpi / 304 dpi
/	200 /
	PC437, PC850. PC860. PC863, PC865, PC858 ()
	, 90°, 180°, 270°
	45 82.5
	90 250 / ²
	180 (300)
	Escape Command
	+ USB / USB + RS232 +
	24 KB
	384 KB
	2 608x862
	XP, Vista, 7, CUPPS, Linux; JavaPOS
	CustomPowerTool,
	24 Vdc ± 10%
	1.1A (12,5% 200dpi
	1.4A 300dpi
MTBF	500.000 ()
	100 / 100M
MCBF	1.500.000
	0°C + 50°C
	123(L) x 95,7(H) x 117(W)
	1,6

??



915DY020200700

PRINTER VK80 ETH USB LATERAL
CONNEC. 300

CUSTOM SPA - Via Berettine, 2 - 43010 Fontevivo PR -

IT02498250345 -

+39 0521 680111 -

+39 0521 610701 -

TI80WIO

01 2020