

VKP80II SX

/ 80

- 200dpi
- 60 82.5
- > 220 /
- 1000 /
- RS232+USB
- 1D 2D (, PDF417)
- 4 MB
- 1.500.000
-



??

- 180
- ve -20 ÷ +70°C

??:

- Kiosk
-

??:



PrinterS??et

- dll
- Win XP/Vista /7/8/10 (32/64bit)
- Linux (C.U.P.S.) 32/64 bit
- WOSA XFS
- JavaPOS
- OPOS
- CustomPowerTool

(OPOS) POS

??



????????

-
- 60gr/mq,85%
- -20 ÷ +70°C

????????


-
-

????

????

	8 /
	203 dpi /
	/ 220 /
	PC437, PC850, PC860, PC863, PC865, PC858
	1 8
	, 90°, 180°, 270°
	60 82.5
	55 110 / ²
	180 (150)
	CUSTOM/POS
	RS232+USB
	16 KB
	384 KB
	2 608 x 862 (80/82,5)
	win XP, Vista, 7, 8, 10 (32/64 bit); Driver Linux 32/64 bit ; OPOS; JavaPOS, WOSA XFS
	CustomPowerTool, PrinterSet
	24 Vdc±10%
	1A (12,5%)
MTBF	590.000 ()
	100 / 100M
MCBF	1.500.000
	-20 ÷ +70°C
	149,5(L) x 121,2(H) x 123,5(W)
	1.6

??



915DW011000300
PRINTER VKP80II SX USB RS232

CUSTOM S.P.A. - Via Berettine, 2 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - +39 0521 610701 - TI80WIO

08 2021