



VKP80III

KIOSK

VKP80III

KIOSK

70

kiosk



??



???????

- 55g/m2            85%
  - -20/+70°C
  
  - 250mm
-

????

????

	8 /
	203 dpi /
	/ >250 /
	PC437, PC850. PC860. PC863, PC865, PC858
	1 8
	, 90°, 180°, 270°
	50 82.5
	55 110 / <sup>2</sup>
	150 250mm
	CUSTOM/POS
	RS232 + USB ETH + USB
	16 KB / 1MB
	5 MB ( 1MB )
	Windows® 32/64 --- WHQL Linux 32/64 COM Linux Windows 32/64 OPOS; ™ iOS
	PrinterSet, CustomPowerTool, Status Monitor, Custom Windows API
	24 Vdc±10%
	1A (12,5% )
MTBF	450.000 ( )
	200 / 100 MI
MCBF	1.000.000
	-20°C + 70°C
	143,5(L) x 76,4(H) x 116(W)
	0.8

??



**915DX010100J00**  
PRINTER VKP80III ETH USB SIDE  
CONNECTORS



**915DX011700300**  
PRINTER VKP80III USB RS232  
REAR CONNECTORS



**915DX011900300**  
PRINTER VKP80III USB RS232 SIDE  
CONNECTORS

---

Via I. Newton, 4 - 43010 Fontevivo PR - IT02498250345 - +39 0521 680111 - - 8RQN7AZ

14 2026